Checklist for Assessment of Technical Competence of Local Certification Bodies

Instructions to the Assessor

This evaluation checklist aims at providing the assessor with the specific criteria against which the capability of the prospective certification body and the competence of its personnel may be evaluated during the assessment phase of accreditation to OFCA's accredited Local Certification Body for the purpose of ISO/IEC 17065 or any corresponding purposes. This checklist is not intended to replace the good engineering judgment of the technical assessor nor a thorough evaluation of the facility. Other points or remarks may be added to this checklist if deemed necessary.

Under the column headed "Y/N/NA", please mark the corresponding box with "Y" if conformity with the criteria is demonstrated. Mark the corresponding box with "N" to indicate a non-conformity or deficiency and give the explanations in the adjacent box under the column headed "Remarks". If the item is not applicable, mark the corresponding box with "NA".

- Note 1: Pursuant to the Communications Authority Ordinance (Cap. 616), with effect from 1 April 2012, all duties and powers of the Telecommunications Authority (TA) are conferred on the Communications Authority (CA), and all duties and powers of the Office of the Telecommunications Authority (OFTA) are conferred on the Office of the Communications Authority (OFCA), the executive arm of the CA.
- Note 2: Before the establishment of the CA on 1 April 2012, the specifications prescribed by the TA were named as HKTA specifications. From 1 April 2012 onward, revised versions of existing HKTA specifications and new specifications prescribed by the CA are named as HKCA specifications. For the avoidance of doubt, unless the specific issue number of the HKTA specification is explicitly specified, reference in any document to HKTA specification shall be construed as including reference to the corresponding HKCA specification as may be revised from time to time. In addition, reference in any document to HKCA specification shall be construed as referring to the corresponding HKTA specification if the HKCA specification under reference is not yet present.

Gene	ral		
No.		Y/N/NA	Remarks
1	Applicant is accredited to ISO/IEC 17025 for a core set of tests under the scope for radio equipment (Scope A) as follows -		
	Measurements for Radio Equipment Transmitter tests to ETSI EN 300 086-1 and ETSI EN 300 296-1 1. operating frequencies 2. conducted and radiated power 3. transmitter spurious emissions 4. frequency deviation 5. adjacent channel power ISM equipment tests to CISPR 11 1. terminal disturbance voltage 2. electromagnetic radiation disturbance		
2	Applicant is accredited to ISO/IEC 17025 for a core set of tests under the scope for fixed network equipment (Scope B) as follows -		
	Measurements for Fixed Network Equipment 1. on-hook power level (HKCA 2011, clause 3.4) 2. on-hook voice-band impedance (HKCA 2011, clause 3.6) 3. off-hook DC characteristics (HKCA 2011, clause 4) 4. off-hook power level (HKCA 2011, clauses 7.3 and 7.4) 5. DTMF signalling (HKCA 2011, clause 8.5)		
3	Applicant is accredited to ISO/IEC 17025 for tests against the relevant HKCA specifications to be conducted by the applicant itself, if any, in addition to those core tests specified in items 1 to 3 above, unless a waiver is granted by the CA to exempt from the requirement of ISO/IEC 17025 accreditation. (Check the relevant scope of accreditation.)		
4	Applicant has entered into contractual arrangement or other appropriate form of agreement with a testing laboratory as approved by the CA for tests against the relevant HKCA specifications or equivalent. (Check the relevant documents.)		
5	Applicant has procedures to evaluate test data, test reports and other information related to certification from a testing laboratory accredited to ISO/IEC 17025 for tests against the relevant HKCA specifications or equivalent. Procedures are also available to check the status of accreditation of the testing laboratory. These procedures are assessed to be acceptable.		

6	Applicant has procedures to evaluate the conformity assurance document, such as Statement of Opinion or Certificate of Conformity, issued by a Notified Body (NB) designated by a Member State of the European Union (EU) to perform conformity assessment against standards equivalent to the relevant HKCA specifications, and to request for and evaluate the associated test data, test reports and other related information. Procedures are also available to check the status of the NB. These procedures are assessed to be acceptable.	
7	Applicant has procedures to evaluate the certificate issued by the United States Federal Communications Commission (FCC) covering standards equivalent to the relevant HKCA specifications, or the certificate issued by a Telecommunication Certification Body (TCB) designated by FCC to perform certification against standards equivalent to the relevant HKCA specifications, and to request for and evaluate the associated test data, test reports and other related information. Procedures are also available to check the designation status of the TCB. These procedures are assessed to be acceptable.	
8	Applicant has procedures to evaluate the CB test certificate issued by a National Certification Body (NCB) accepted under the CB Scheme of the IEC System for Conformity Testing and Certification of Electrotechnical Equipment and Components (IECEE) to perform conformity assessment against standards equivalent to the relevant HKCA specifications, and to request for and evaluate the associated test data, test reports and other related information produced by the associated CB Testing Laboratory (CBTL) recognised in the IECEE CB Scheme. Procedures are also available to check the status of the NCB and the CBTL. These procedures are assessed to be acceptable.	
9	Applicant has procedures to evaluate the test data, test reports and other information related to certification from a testing laboratory for tests against the relevant HKCA specifications or equivalent. Procedures are also available to collect evidence that the testing laboratory is competent to perform the relevant test in accordance with ISO/IEC 17025. These procedures are assessed to be acceptable.	
10	Applicant demonstrates an understanding of the HKTEC Scheme, the LCB Scheme and applicable technical regulations of OFCA. (Ask for a demonstration on how to access HKTEC Scheme, LCB Scheme and HKCA specifications using the Internet.)	
11	Certification procedures are available and assessed to be acceptable.	

Ī	12	Applicant is aware that it needs to seek consent from the certificate holder during the certification process to allow OFCA to post the technical information of certified products on OFCA	
		website.	

A1. Radio Equipment using Analogue Modulation 13	Scope	e A Radio Equipment	Y/N/NA	Remarks
specifications, and other standards as referred to in the HKCA specifications - 1. HKCA 1001 2. HKCA 1002, ETSI EN 300 086-1, ETSI EN 300 296-1, CISPR 16-1 3. HKCA 1003 4. HKCA 1004 5. HKCA 1006 6. HKCA 1006 7. HKCA 1007, CISPR 11 8. HKCA 1008 ETSI EN 300 422-2, 47 CFR 74-861 9. HKCA 1010, ETSI EN 300 086-1, ETSI EN 300 296-1, ETSI EN 300 113-1, ETSI EN 300 390-1, CISPR 16-1 10. HKCA 1016, ETSI EN 300 086-1, ETSI EN 300 296-1, CISPR 16-1 11. HKCA 1016, ETSI EN 300 086-1, ETSI EN 300 296-1, CISPR 16-1 12. HKCA 1019 13. HKCA 1022 14. HKCA 1035, ETSI EN 300 220-1, ETSI EN 300 330-1, ETSI EN 300 30 440-1, ETSI EN 300 422-1, ETSI EN 301 091-1, 47 CFR 15 16. HKCA 1041, TTU-R Rec. SM.853, SM.1138 17. HKCA 1044, ETSI EN 300 296-1, CISPR 16-1 18. HKCA 1045, ETSI EN 300 296-1, CISPR 16-1 19. HKCA 1046, ETSI EN 300 296-1, CISPR 16-1 19. HKCA 1066, ETSI EN 300 135-2, ETSI EN 300 433-2, 47 CFR 95 Subpart E 20. HKCA 1069 ETSI EN 300 296-1, ETSI ETSI 300 373 25. HKCA 1223, IMO resolution A.333, ETSI ETS 300 373 25. HKCA 1224, IMO resolution A.334, ETSI ETS 300 373 26. HKCA 1258, IMO resolution A.421, ETSI ETS 300 373 26. HKCA 1258, IMO resolution A.421, ETSI ETS 300 373 27. HKCA 1258, IMO resolution A.525, IEC 1097-6, ETSI ETS 300 085 27. HKCA 1258, IMO resolutions A.661, A.662, A.812, IEC 61097-5, ETSI ETS 300 373 29. HKCA 1262, IMO resolutions A.612, A.662, A.805 30. HKCA 1263, IMO resolutions A.610, A.804, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373	A1.	Radio Equipment using Analogue Modulation		
specifications - 1. HKCA 1001 2. HKCA 1001 2. HKCA 1002, ETSI EN 300 086-1, ETSI EN 300 296-1, CISPR 16-1 3. HKCA 1003 4. HKCA 1004 5. HKCA 1005 6. HKCA 1007, CISPR 11 8. HKCA 1010, ETSI EN 300 422-2, 47 CFR 74-861 9. HKCA 1010, ETSI EN 300 086-1, ETSI EN 300 296-1, ETSI EN 300 113-1, ETSI EN 300 390-1, CISPR 16-1 10. HKCA 1015, MPT 1375 (DTI, UK) 11. HKCA 1016, ETSI EN 300 086-1, ETSI EN 300 296-1, CISPR 16-1 12. HKCA 1016, ETSI EN 300 086-1, ETSI EN 300 296-1, CISPR 16-1 13. HKCA 1023, ETSI EN 300 220-1, ETSI EN 300 330-1, ETSI EN 300 440-1, ETSI EN 300 422-1, ETSI EN 300 300-1, ETSI EN 300 440-1, ETSI EN 300 422-1, ETSI EN 301 091-1, 47 CFR 15 16. HKCA 1044, ETSI EN 300 296-1, CISPR 16-1 18. HKCA 1045, ETSI EN 300 296-1, CISPR 16-1 19. HKCA 1050, ETSI EN 300 135-2, ETSI EN 300 433-2, 47 CFR 95 Subpart E 20. HKCA 1066, ETSI EN 300 224-2 21. HKCA 1066, ETSI EN 300 224-2 22. HKCA 1223, IMO resolution A.335 23. HKCA 1223, IMO resolution A.335, A.694 24. HKCA 1224, IMO resolution A.334, ETSI ETS 300 373 25. HKCA 1225, IMO resolution A.334, ETSI ETS 300 373 26. HKCA 1257, IMO resolution A.341, ETSI ETS 300 373 27. HKCA 1258, IMO resolution A.661, A.662, A.812, IEC 61097-5, ETSI ETS 300 372 29. HKCA 1263, IMO resolutions A.612, A.662, A.805 30. HKCA 1263, IMO resolutions A.610, A.804, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373	13	Applicant has the latest version of the following HKCA		
1. HKCA 1001 2. HKCA 1002, ETSI EN 300 086-1, ETSI EN 300 296-1, CISPR 16-1 3. HKCA 1003 4. HKCA 1004 5. HKCA 1005 6. HKCA 1006 7. HKCA 1007, CISPR 11 8. HKCA 1007, CISPR 11 8. HKCA 1008 ETSI EN 300 422-2, 47 CFR 74.861 9. HKCA 1010, ETSI EN 300 086-1, ETSI EN 300 296-1, ETSI EN 300 113-1, ETSI EN 300 390-1, CISPR 16-1 10. HKCA 1015, MPT 1375 (DTI, UK) 11. HKCA 1016, ETSI EN 300 086-1, ETSI EN 300 296-1, CISPR 16-1 12. HKCA 1019 13. HKCA 1022 14. HKCA 1026, 47 CFR 15 15. HKCA 1035, ETSI EN 300 220-1, ETSI EN 300 330-1, ETSI EN 300 401-1, ETSI EN 300 422-1, ETSI EN 301 091-1, 47 CFR 15 16. HKCA 1041, ITU-R Rec. SM.853, SM.1138 17. HKCA 1044, ETSI EN 300 296-1, CISPR 16-1 19. HKCA 1044, ETSI EN 300 296-1, CISPR 16-1 19. HKCA 1045, ETSI EN 300 135-2, ETSI EN 300 433-2, 47 CFR 95 Subpart E 20. HKCA 1066, ETSI EN 300 135-2, ETSI EN 300 433-2, 47 CFR 95 Subpart E 20. HKCA 1066, ETSI EN 300 294-2 21. HKCA 1066, ETSI EN 300 294-2 22. HKCA 1218, IMO resolution A.335 23. HKCA 1225, IMO resolution A.334, ETSI ETS 300 373 25. HKCA 1258, IMO resolution A.421, ETSI ETS 300 373 26. HKCA 1258, IMO resolution A.525, IEC 1097-6, ETSI ETS 300 065 27. HKCA 1261, IMO resolution A.661, A.662, A.812, IEC 61097-5, ETSI ETS 300 373 10. HKCA 1263, IMO resolutions A.661, A.662, A.805 30. HKCA 1264, IMO resolutions A.612, A.662, A.805 30. HKCA 1263, IMO resolutions A.610, A.804, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338 31. HKCA 1261, IMO resolutions A.610, A.804, ETSI ETS 300 338 31. HKCA 1261, IMO resolutions A.610, A.804, ETSI ETS 300 338		specifications, and other standards as referred to in the HKCA		
1. HKCA 1001 2. HKCA 1002, ETSI EN 300 086-1, ETSI EN 300 296-1, CISPR 16-1 3. HKCA 1003 4. HKCA 1004 5. HKCA 1005 6. HKCA 1006 7. HKCA 1007, CISPR 11 8. HKCA 1007, CISPR 11 8. HKCA 1008 ETSI EN 300 422-2, 47 CFR 74.861 9. HKCA 1010, ETSI EN 300 086-1, ETSI EN 300 296-1, ETSI EN 300 113-1, ETSI EN 300 390-1, CISPR 16-1 10. HKCA 1015, MPT 1375 (DTI, UK) 11. HKCA 1016, ETSI EN 300 086-1, ETSI EN 300 296-1, CISPR 16-1 12. HKCA 1019 13. HKCA 1022 14. HKCA 1026, 47 CFR 15 15. HKCA 1035, ETSI EN 300 220-1, ETSI EN 300 330-1, ETSI EN 300 401-1, ETSI EN 300 422-1, ETSI EN 301 091-1, 47 CFR 15 16. HKCA 1041, ITU-R Rec. SM.853, SM.1138 17. HKCA 1044, ETSI EN 300 296-1, CISPR 16-1 19. HKCA 1044, ETSI EN 300 296-1, CISPR 16-1 19. HKCA 1045, ETSI EN 300 135-2, ETSI EN 300 433-2, 47 CFR 95 Subpart E 20. HKCA 1066, ETSI EN 300 135-2, ETSI EN 300 433-2, 47 CFR 95 Subpart E 20. HKCA 1066, ETSI EN 300 294-2 21. HKCA 1066, ETSI EN 300 294-2 22. HKCA 1218, IMO resolution A.335 23. HKCA 1225, IMO resolution A.334, ETSI ETS 300 373 25. HKCA 1258, IMO resolution A.421, ETSI ETS 300 373 26. HKCA 1258, IMO resolution A.525, IEC 1097-6, ETSI ETS 300 065 27. HKCA 1261, IMO resolution A.661, A.662, A.812, IEC 61097-5, ETSI ETS 300 373 10. HKCA 1263, IMO resolutions A.661, A.662, A.805 30. HKCA 1264, IMO resolutions A.612, A.662, A.805 30. HKCA 1263, IMO resolutions A.610, A.804, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338 31. HKCA 1261, IMO resolutions A.610, A.804, ETSI ETS 300 338 31. HKCA 1261, IMO resolutions A.610, A.804, ETSI ETS 300 338		specifications -		
CISPR 16-1 3. HKCA 1003 4. HKCA 1004 5. HKCA 1005 6. HKCA 1007 7. HKCA 1007, CISPR 11 8. HKCA 1008 ETSI EN 300 422-2, 47 CFR 74.861 9. HKCA 1010, ETSI EN 300 086-1, ETSI EN 300 296-1, ETSI EN 300 113-1, ETSI EN 300 390-1, CISPR 16-1 10. HKCA 1015, MPT 1375 (DTI, UK) 11. HKCA 1016, ETSI EN 300 086-1, ETSI EN 300 296-1, CISPR 16-1 12. HKCA 1019 13. HKCA 1022 14. HKCA 1032 15. HKCA 1035, ETSI EN 300 220-1, ETSI EN 300 330-1, ETSI EN 300 440-1, ETSI EN 300 422-1, ETSI EN 301 1091-1, 47 CFR 15 16. HKCA 1041, ITU-R Rec. SM.853, SM.1138 17. HKCA 1044, ETSI EN 300 296-1, CISPR 16-1 18. HKCA 1044, ETSI EN 300 296-1, CISPR 16-1 19. HKCA 1045, ETSI EN 300 135-2, ETSI EN 300 433-2, 47 CFR 95 Subpart E 20. HKCA 1066, ETSI EN 300 676-2, 47 CFR 87 Subpart D 21. HKCA 1218, IMO resolution A.335 23. HKCA 1223, IMO resolution A.334, ETSI ETS 300 373 25. HKCA 1225, IMO resolution A.334, ETSI ETS 300 373 26. HKCA 1257, IMO resolution A.421, ETSI ETS 300 373 26. HKCA 1258, IMO resolution A.700 28. HKCA 1261, IMO resolution A.700 28. HKCA 1261, IMO resolutions A.661, A.662, A.812, IEC 61097-5, ETSI ETS 300 372 29. HKCA 1263, IMO resolutions A.601, A.804, ETSI ETS 300 338 10. HKCA 1262, IMO resolutions A.612, A.662, A.805 30. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373		1		
CISPR 16-1 3. HKCA 1003 4. HKCA 1004 5. HKCA 1005 6. HKCA 1007 7. HKCA 1007, CISPR 11 8. HKCA 1008 ETSI EN 300 422-2, 47 CFR 74.861 9. HKCA 1010, ETSI EN 300 086-1, ETSI EN 300 296-1, ETSI EN 300 113-1, ETSI EN 300 390-1, CISPR 16-1 10. HKCA 1015, MPT 1375 (DTI, UK) 11. HKCA 1016, ETSI EN 300 086-1, ETSI EN 300 296-1, CISPR 16-1 12. HKCA 1019 13. HKCA 1022 14. HKCA 1032 15. HKCA 1035, ETSI EN 300 220-1, ETSI EN 300 330-1, ETSI EN 300 440-1, ETSI EN 300 422-1, ETSI EN 301 1091-1, 47 CFR 15 16. HKCA 1041, ITU-R Rec. SM.853, SM.1138 17. HKCA 1044, ETSI EN 300 296-1, CISPR 16-1 18. HKCA 1044, ETSI EN 300 296-1, CISPR 16-1 19. HKCA 1045, ETSI EN 300 135-2, ETSI EN 300 433-2, 47 CFR 95 Subpart E 20. HKCA 1066, ETSI EN 300 676-2, 47 CFR 87 Subpart D 21. HKCA 1218, IMO resolution A.335 23. HKCA 1223, IMO resolution A.334, ETSI ETS 300 373 25. HKCA 1225, IMO resolution A.334, ETSI ETS 300 373 26. HKCA 1257, IMO resolution A.421, ETSI ETS 300 373 26. HKCA 1258, IMO resolution A.700 28. HKCA 1261, IMO resolution A.700 28. HKCA 1261, IMO resolutions A.661, A.662, A.812, IEC 61097-5, ETSI ETS 300 372 29. HKCA 1263, IMO resolutions A.601, A.804, ETSI ETS 300 338 10. HKCA 1262, IMO resolutions A.612, A.662, A.805 30. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373		2. HKCA 1002, ETSI EN 300 086-1, ETSI EN 300 296-1,		
 4. HKCA 1004 5. HKCA 1005 6. HKCA 1006 7. HKCA 1007, CISPR 11 8. HKCA 1007, CISPR 11 8. HKCA 1010, ETSI EN 300 422-2, 47 CFR 74.861 9. HKCA 1010, ETSI EN 300 086-1, ETSI EN 300 296-1, ETSI EN 300 113-1, ETSI EN 300 390-1, CISPR 16-1 10. HKCA 1015, MPT 1375 (DTI, UK) 11. HKCA 1016, ETSI EN 300 086-1, ETSI EN 300 296-1, CISPR 16-1 12. HKCA 1019 13. HKCA 1026, 47 CFR 15 15. HKCA 1035, ETSI EN 300 220-1, ETSI EN 300 330-1, ETSI EN 300 440-1, ETSI EN 300 422-1, ETSI EN 301 091-1, 47 CFR 15 16. HKCA 1041, ITU-R Rec. SM.853, SM.1138 17. HKCA 1044, ETSI EN 300 296-1, CISPR 16-1 18. HKCA 1045, ETSI EN 300 296-1, CISPR 16-1 19. HKCA 1050, ETSI EN 300 135-2, ETSI EN 300 433-2, 47 CFR 95 Subpart E 20. HKCA 1066, ETSI EN 300 676-2, 47 CFR 87 Subpart D 21. HKCA 1218, IMO resolution A.335 23. HKCA 1223, IMO resolution A.335 23. HKCA 1224, IMO resolution A.334, ETSI ETS 300 373 25. HKCA 1225, IMO resolution A.421, ETSI ETS 300 373 26. HKCA 1257, IMO resolution A.421, ETSI ETS 300 373 27. HKCA 1258, IMO resolution A.700 28. HKCA 1261, IMO resolution A.601, A.662, A.812, IEC 61097-5, ETSI ETS 300 372 29. HKCA 1262, IMO resolutions A.601, A.662, A.805 30. HKCA 1263, IMO resolutions A.610, A.804, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373 		CISPR 16-1		
5. HKCA 1005 6. HKCA 1006 7. HKCA 1007, CISPR 11 8. HKCA 1008 ETSI EN 300 422-2, 47 CFR 74.861 9. HKCA 1010, ETSI EN 300 086-1, ETSI EN 300 296-1, ETSI EN 300 113-1, ETSI EN 300 390-1, CISPR 16-1 10. HKCA 1015, MPT 1375 (DTI, UK) 11. HKCA 1016, ETSI EN 300 086-1, ETSI EN 300 296-1, CISPR 16-1 12. HKCA 1019 13. HKCA 1022 14. HKCA 1022 14. HKCA 1035, ETSI EN 300 220-1, ETSI EN 300 330-1, ETSI EN 300 440-1, ETSI EN 300 422-1, ETSI EN 301 091-1, 47 CFR 15 16. HKCA 1041, ITU-R Rec. SM.853, SM.1138 17. HKCA 1044, ETSI EN 300 296-1, CISPR 16-1 18. HKCA 1044, ETSI EN 300 296-1, CISPR 16-1 19. HKCA 1050, ETSI EN 300 135-2, ETSI EN 300 433-2, 47 CFR 95 Subpart E 20. HKCA 1066, ETSI EN 300 676-2, 47 CFR 87 Subpart D 21. HKCA 1069 ETSI EN 300 224-2 22. HKCA 1218, IMO resolution A.335 23. HKCA 1223, IMO resolution A.334, ETSI ETS 300 373 25. HKCA 1225, IMO resolution A.421, ETSI ETS 300 373 26. HKCA 1258, IMO resolution A.700 28. HKCA 1261, IMO resolution A.700 29. HKCA 1263, IMO resolutions A.612, A.662, A.812, IEC 61097-5, ETSI ETS 300 372 29. HKCA 1262, IMO resolutions A.612, A.662, A.805 30. HKCA 1263, IMO resolutions A.612, A.662, A.805 30. HKCA 1263, IMO resolutions A.610, A.804, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373		3. HKCA 1003		
6. HKCA 1006 7. HKCA 1007, CISPR 11 8. HKCA 1008 ETSI EN 300 422-2, 47 CFR 74.861 9. HKCA 1010, ETSI EN 300 086-1, ETSI EN 300 296-1, ETSI EN 300 113-1, ETSI EN 300 390-1, CISPR 16-1 10. HKCA 1015, MPT 1375 (DTI, UK) 11. HKCA 1016, ETSI EN 300 086-1, ETSI EN 300 296-1, CISPR 16-1 12. HKCA 1019 13. HKCA 1022 14. HKCA 1026, 47 CFR 15 15. HKCA 1035, ETSI EN 300 220-1, ETSI EN 300 330-1, ETSI EN 300 440-1, ETSI EN 300 422-1, ETSI EN 301 091-1, 47 CFR 15 16. HKCA 1041, ITU-R Rec. SM.853, SM.1138 17. HKCA 1044, ETSI EN 300 296-1, CISPR 16-1 18. HKCA 1045, ETSI EN 300 296-1, CISPR 16-1 19. HKCA 1050, ETSI EN 300 296-1, CISPR 16-1 20. HKCA 1066, ETSI EN 300 135-2, ETSI EN 300 433-2, 47 CFR 95 Subpart E 20. HKCA 1281, IMO resolution A.335 23. HKCA 1223, IMO resolution A.335 24. HKCA 1224, IMO resolution A.334, ETSI ETS 300 373 25. HKCA 1225, IMO resolution A.421, ETSI ETS 300 373 26. HKCA 1257, IMO resolution A.700 28. HKCA 1262, IMO resolution A.700 28. HKCA 1262, IMO resolutions A.661, A.662, A.812, IEC 61097-5, ETSI ETSI ETS 300 373 1EC 61097-7, ETSI ETS 300 162, ETSI ETS 300 338 31. HKCA 1263, IMO resolutions A.612, A.662, A.805 30. HKCA 1263, IMO resolutions A.610, A.804, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373		4. HKCA 1004		
7. HKCA 1007, CISPR 11 8. HKCA 1008 ETSI EN 300 422-2, 47 CFR 74.861 9. HKCA 1010, ETSI EN 300 086-1, ETSI EN 300 296-1, ETSI EN 300 113-1, ETSI EN 300 390-1, CISPR 16-1 10. HKCA 1015, MPT 1375 (DTI, UK) 11. HKCA 1016, ETSI EN 300 086-1, ETSI EN 300 296-1, CISPR 16-1 12. HKCA 1019 13. HKCA 1022 14. HKCA 1026, 47 CFR 15 15. HKCA 1035, ETSI EN 300 220-1, ETSI EN 300 330-1, ETSI EN 300 440-1, ETSI EN 300 422-1, ETSI EN 301 091-1, 47 CFR 15 16. HKCA 1041, ITU-R Rec. SM.853, SM.1138 17. HKCA 1044, ETSI EN 300 296-1, CISPR 16-1 18. HKCA 1044, ETSI EN 300 296-1, CISPR 16-1 19. HKCA 1050, ETSI EN 300 296-1, CISPR 16-1 19. HKCA 1050, ETSI EN 300 35-2, ETSI EN 300 433-2, 47 CFR 95 Subpart E 20. HKCA 1066, ETSI EN 300 676-2, 47 CFR 87 Subpart D 21. HKCA 1069 ETSI EN 300 224-2 22. HKCA 1218, IMO resolution A.335 23. HKCA 1223, IMO resolution A.334, ETSI ETS 300 373 25. HKCA 1225, IMO resolution A.421, ETSI ETS 300 373 26. HKCA 1257, IMO resolution A.525, IEC 1097-6, ETSI ETS 300 065 27. HKCA 1258, IMO resolution A.700 28. HKCA 1261, IMO resolution A.700 29. HKCA 1262, IMO resolutions A.661, A.662, A.812, IEC 61097-5, ETSI ETS 300 372 29. HKCA 1263, IMO resolutions A.612, A.662, A.805 30. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373		5. HKCA 1005		
8. HKCA 1008 ETSI EN 300 422-2, 47 CFR 74.861 9. HKCA 1010, ETSI EN 300 086-1, ETSI EN 300 296-1, ETSI EN 300 113-1, ETSI EN 300 390-1, CISPR 16-1 10. HKCA 1015, MPT 1375 (DTI, UK) 11. HKCA 1016, ETSI EN 300 086-1, ETSI EN 300 296-1, CISPR 16-1 12. HKCA 1019 13. HKCA 1022 14. HKCA 1026, 47 CFR 15 15. HKCA 1035, ETSI EN 300 220-1, ETSI EN 300 330-1, ETSI EN 300 440-1, ETSI EN 300 422-1, ETSI EN 301 091-1, 47 CFR 15 16. HKCA 1041, ITU-R Rec. SM.853, SM.1138 17. HKCA 1044, ETSI EN 300 296-1, CISPR 16-1 18. HKCA 1044, ETSI EN 300 296-1, CISPR 16-1 19. HKCA 1050, ETSI EN 300 135-2, ETSI EN 300 433-2, 47 CFR 95 Subpart E 20. HKCA 1066, ETSI EN 300 676-2, 47 CFR 87 Subpart D 21. HKCA 1069 ETSI EN 300 676-2, 47 CFR 87 Subpart D 22. HKCA 1218, IMO resolution A.335 23. HKCA 1223, IMO resolution A.334, ETSI ETS 300 373 25. HKCA 1225, IMO resolution A.334, ETSI ETS 300 373 26. HKCA 1257, IMO resolution A.421, ETSI ETS 300 373 26. HKCA 1261, IMO resolution A.525, IEC 1097-6, ETSI ETS 300 065 27. HKCA 1261, IMO resolution A.700 28. HKCA 1261, IMO resolutions A.661, A.662, A.812, IEC 61097-5, ETSI ETS 300 372 29. HKCA 1263, IMO resolutions A.610, A.604, A.805 30. HKCA 1264, IMO resolutions A.509, A.803, IEC 61097-3, IEC 61097-7, ETSI ETS 300 162, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373		6. HKCA 1006		
9. HKCA 1010, ETSI EN 300 086-1, ETSI EN 300 296-1, ETSI EN 300 113-1, ETSI EN 300 390-1, CISPR 16-1 10. HKCA 1015, MPT 1375 (DTI, UK) 11. HKCA 1016, ETSI EN 300 086-1, ETSI EN 300 296-1, CISPR 16-1 12. HKCA 1019 13. HKCA 1022 14. HKCA 1025, 47 CFR 15 15. HKCA 1035, ETSI EN 300 220-1, ETSI EN 300 330-1, ETSI EN 300 440-1, ETSI EN 300 422-1, ETSI EN 301 091-1, 47 CFR 15 16. HKCA 1041, ITU-R Rec. SM.853, SM.1138 17. HKCA 1044, ETSI EN 300 296-1, CISPR 16-1 18. HKCA 1045, ETSI EN 300 296-1, CISPR 16-1 19. HKCA 1050, ETSI EN 300 135-2, ETSI EN 300 433-2, 47 CFR 95 Subpart E 20. HKCA 1066, ETSI EN 300 676-2, 47 CFR 87 Subpart D 21. HKCA 1069 ETSI EN 300 676-2, 47 CFR 87 Subpart D 21. HKCA 1223, IMO resolution A.335 23. HKCA 1223, IMO resolution A.334, A.694 24. HKCA 1224, IMO resolution A.334, ETSI ETS 300 373 25. HKCA 1225, IMO resolution A.324, ETSI ETS 300 373 26. HKCA 1257, IMO resolution A.321, ETSI ETS 300 373 27. HKCA 1261, IMO resolution A.525, IEC 1097-6, ETSI ETS 300 065 27. HKCA 1261, IMO resolutions A.661, A.662, A.812, IEC 61097-5, ETSI ETS 300 372 29. HKCA 1263, IMO resolutions A.610, A.602, A.805 30. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373		7. HKCA 1007, CISPR 11		
ETSI EN 300 113-1, ETSI EN 300 390-1, CISPR 16-1 10. HKCA 1015, MPT 1375 (DTI, UK) 11. HKCA 1016, ETSI EN 300 086-1, ETSI EN 300 296-1, CISPR 16-1 12. HKCA 1019 13. HKCA 1022 14. HKCA 1026, 47 CFR 15 15. HKCA 1035, ETSI EN 300 220-1, ETSI EN 300 330-1, ETSI EN 300 440-1, ETSI EN 300 422-1, ETSI EN 301 3091-1, 47 CFR 15 16. HKCA 1041, ITU-R Rec. SM.853, SM.1138 17. HKCA 1044, ETSI EN 300 296-1, CISPR 16-1 18. HKCA 1045, ETSI EN 300 296-1, CISPR 16-1 19. HKCA 1050, ETSI EN 300 135-2, ETSI EN 300 433-2, 47 CFR 95 Subpart E 20. HKCA 1066, ETSI EN 300 676-2, 47 CFR 87 Subpart D 21. HKCA 1069 ETSI EN 300 224-2 22. HKCA 1218, IMO resolution A.335 23. HKCA 1223, IMO resolution A.335, A.694 24. HKCA 1224, IMO resolution A.334, ETSI ETS 300 373 25. HKCA 1225, IMO resolution A.334, ETSI ETS 300 373 26. HKCA 1257, IMO resolution A.525, IEC 1097-6, ETSI ETS 300 065 27. HKCA 1261, IMO resolution A.661, A.662, A.812, IEC 61097-5, ETSI ETS 300 372 29. HKCA 1262, IMO resolutions A.610, A.804, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373		8. HKCA 1008 ETSI EN 300 422-2, 47 CFR 74.861		
10. HKCA 1015, MPT 1375 (DTI, UK) 11. HKCA 1016, ETSI EN 300 086-1, ETSI EN 300 296-1, CISPR 16-1 12. HKCA 1019 13. HKCA 1022 14. HKCA 1026, 47 CFR 15 15. HKCA 1035, ETSI EN 300 220-1, ETSI EN 300 330-1, ETSI EN 300 440-1, ETSI EN 300 422-1, ETSI EN 301 091-1, 47 CFR 15 16. HKCA 1041, ITU-R Rec. SM.853, SM.1138 17. HKCA 1044, ETSI EN 300 296-1, CISPR 16-1 18. HKCA 1045, ETSI EN 300 296-1, CISPR 16-1 19. HKCA 1050, ETSI EN 300 135-2, ETSI EN 300 433-2, 47 CFR 95 Subpart E 20. HKCA 1066, ETSI EN 300 676-2, 47 CFR 87 Subpart D 21. HKCA 1069 ETSI EN 300 676-2, 47 CFR 87 Subpart D 22. HKCA 1218, IMO resolution A.335 23. HKCA 1223, IMO resolution A.335 24. HKCA 1224, IMO resolution A.334, ETSI ETS 300 373 25. HKCA 1225, IMO resolution A.421, ETSI ETS 300 373 26. HKCA 1257, IMO resolution A.525, IEC 1097-6, ETSI ETS 300 065 27. HKCA 1261, IMO resolution A.700 28. HKCA 1261, IMO resolutions A.661, A.662, A.812, IEC 61097-5, ETSI ETS 300 372 29. HKCA 1263, IMO resolutions A.661, A.662, A.805 30. HKCA 1263, IMO resolutions A.610, A.804, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373		9. HKCA 1010, ETSI EN 300 086-1, ETSI EN 300 296-1,		
10. HKCA 1015, MPT 1375 (DTI, UK) 11. HKCA 1016, ETSI EN 300 086-1, ETSI EN 300 296-1, CISPR 16-1 12. HKCA 1019 13. HKCA 1022 14. HKCA 1026, 47 CFR 15 15. HKCA 1035, ETSI EN 300 220-1, ETSI EN 300 330-1, ETSI EN 300 440-1, ETSI EN 300 422-1, ETSI EN 301 091-1, 47 CFR 15 16. HKCA 1041, ITU-R Rec. SM.853, SM.1138 17. HKCA 1044, ETSI EN 300 296-1, CISPR 16-1 18. HKCA 1045, ETSI EN 300 296-1, CISPR 16-1 19. HKCA 1050, ETSI EN 300 135-2, ETSI EN 300 433-2, 47 CFR 95 Subpart E 20. HKCA 1066, ETSI EN 300 676-2, 47 CFR 87 Subpart D 21. HKCA 1069 ETSI EN 300 676-2, 47 CFR 87 Subpart D 22. HKCA 1218, IMO resolution A.335 23. HKCA 1223, IMO resolution A.335 24. HKCA 1224, IMO resolution A.334, ETSI ETS 300 373 25. HKCA 1225, IMO resolution A.421, ETSI ETS 300 373 26. HKCA 1257, IMO resolution A.525, IEC 1097-6, ETSI ETS 300 065 27. HKCA 1261, IMO resolution A.700 28. HKCA 1261, IMO resolutions A.661, A.662, A.812, IEC 61097-5, ETSI ETS 300 372 29. HKCA 1263, IMO resolutions A.661, A.662, A.805 30. HKCA 1263, IMO resolutions A.610, A.804, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373		ETSI EN 300 113-1, ETSI EN 300 390-1, CISPR 16-1		
CISPR 16-1 12. HKCA 1019 13. HKCA 1022 14. HKCA 1026, 47 CFR 15 15. HKCA 1035, ETSI EN 300 220-1, ETSI EN 300 330-1, ETSI EN 300 440-1, ETSI EN 300 422-1, ETSI EN 301 091-1, 47 CFR 15 16. HKCA 1041, ITU-R Rec. SM.853, SM.1138 17. HKCA 1044, ETSI EN 300 296-1, CISPR 16-1 18. HKCA 1045, ETSI EN 300 296-1, CISPR 16-1 19. HKCA 1050, ETSI EN 300 296-1, CISPR 16-1 19. HKCA 1050, ETSI EN 300 135-2, ETSI EN 300 433-2, 47 CFR 95 Subpart E 20. HKCA 1066, ETSI EN 300 676-2, 47 CFR 87 Subpart D 21. HKCA 1069 ETSI EN 300 224-2 22. HKCA 1218, IMO resolution A.335 23. HKCA 1223, IMO resolution A.335, A.694 24. HKCA 1224, IMO resolution A.334, ETSI ETS 300 373 25. HKCA 1225, IMO resolution A.421, ETSI ETS 300 373 26. HKCA 1257, IMO resolution A.525, IEC 1097-6, ETSI ETS 300 065 27. HKCA 1258, IMO resolution A.700 28. HKCA 1261, IMO resolutions A.661, A.662, A.812, IEC 61097-5, ETSI ETS 300 372 29. HKCA 1263, IMO resolutions A.612, A.662, A.805 30. HKCA 1263, IMO resolutions A.612, A.662, A.805 30. HKCA 1264, IMO resolutions A.610, A.803, IEC 61097-3, IEC 61097-7, ETSI ETS 300 162, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373		10. HKCA 1015, MPT 1375 (DTI, UK)		
12. HKCA 1019 13. HKCA 1022 14. HKCA 1026, 47 CFR 15 15. HKCA 1035, ETSI EN 300 220-1, ETSI EN 300 330-1, ETSI EN 300 440-1, ETSI EN 300 422-1, ETSI EN 301 091-1, 47 CFR 15 16. HKCA 1041, ITU-R Rec. SM.853, SM.1138 17. HKCA 1044, ETSI EN 300 296-1, CISPR 16-1 18. HKCA 1045, ETSI EN 300 296-1, CISPR 16-1 19. HKCA 1050, ETSI EN 300 135-2, ETSI EN 300 433-2, 47 CFR 95 Subpart E 20. HKCA 1066, ETSI EN 300 676-2, 47 CFR 87 Subpart D 21. HKCA 1069 ETSI EN 300 224-2 22. HKCA 1218, IMO resolution A.335 23. HKCA 1223, IMO resolution A.334, ETSI ETS 300 373 25. HKCA 1225, IMO resolution A.421, ETSI ETS 300 373 26. HKCA 1257, IMO resolution A.525, IEC 1097-6, ETSI ETS 300 065 27. HKCA 1258, IMO resolution A.700 28. HKCA 1261, IMO resolutions A.661, A.662, A.812, IEC 61097-5, ETSI ETS 300 372 29. HKCA 1262, IMO resolutions A.612, A.662, A.805 30. HKCA 1263, IMO resolutions A.609, A.803, IEC 61097-3, IEC 61097-7, ETSI ETS 300 162, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373		11. HKCA 1016, ETSI EN 300 086-1, ETSI EN 300 296-1,		
13. HKCA 1022 14. HKCA 1026, 47 CFR 15 15. HKCA 1035, ETSI EN 300 220-1, ETSI EN 300 330-1, ETSI EN 300 440-1, ETSI EN 300 422-1, ETSI EN 301 091-1, 47 CFR 15 16. HKCA 1041, ITU-R Rec. SM.853, SM.1138 17. HKCA 1044, ETSI EN 300 296-1, CISPR 16-1 18. HKCA 1045, ETSI EN 300 296-1, CISPR 16-1 19. HKCA 1050, ETSI EN 300 135-2, ETSI EN 300 433-2, 47 CFR 95 Subpart E 20. HKCA 1066, ETSI EN 300 676-2, 47 CFR 87 Subpart D 21. HKCA 1069 ETSI EN 300 224-2 22. HKCA 1218, IMO resolution A.335 23. HKCA 1223, IMO resolution A.383, A.694 24. HKCA 1224, IMO resolution A.334, ETSI ETS 300 373 25. HKCA 1225, IMO resolution A.421, ETSI ETS 300 373 26. HKCA 1257, IMO resolution A.525, IEC 1097-6, ETSI ETS 300 065 27. HKCA 1258, IMO resolution A.700 28. HKCA 1261, IMO resolution A.700 28. HKCA 1261, IMO resolutions A.661, A.662, A.812, IEC 61097-5, ETSI ETS 300 372 29. HKCA 1262, IMO resolutions A.612, A.662, A.805 30. HKCA 1263, IMO resolutions A.609, A.803, IEC 61097-3, IEC 61097-7, ETSI ETS 300 162, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373		CISPR 16-1		
14. HKCA 1026, 47 CFR 15 15. HKCA 1035, ETSI EN 300 220-1, ETSI EN 300 330-1, ETSI EN 300 440-1, ETSI EN 300 422-1, ETSI EN 301 091-1, 47 CFR 15 16. HKCA 1041, ITU-R Rec. SM.853, SM.1138 17. HKCA 1044, ETSI EN 300 296-1, CISPR 16-1 18. HKCA 1045, ETSI EN 300 296-1, CISPR 16-1 19. HKCA 1050, ETSI EN 300 135-2, ETSI EN 300 433-2, 47 CFR 95 Subpart E 20. HKCA 1066, ETSI EN 300 676-2, 47 CFR 87 Subpart D 21. HKCA 1069 ETSI EN 300 224-2 22. HKCA 1218, IMO resolution A.335 23. HKCA 1223, IMO resolutions A.383, A.694 24. HKCA 1224, IMO resolution A.334, ETSI ETS 300 373 25. HKCA 1225, IMO resolution A.421, ETSI ETS 300 373 26. HKCA 1257, IMO resolution A.525, IEC 1097-6, ETSI ETS 300 065 27. HKCA 1258, IMO resolutions A.661, A.662, A.812, IEC 61097-5, ETSI ETS 300 372 29. HKCA 1261, IMO resolutions A.612, A.662, A.805 30. HKCA 1263, IMO resolutions A.609, A.803, IEC 61097-3, IEC 61097-7, ETSI ETS 300 162, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373		12. HKCA 1019		
15. HKCA 1035, ETSI EN 300 220-1, ETSI EN 300 330-1, ETSI EN 300 440-1, ETSI EN 300 422-1, ETSI EN 301 091-1, 47 CFR 15 16. HKCA 1041, ITU-R Rec. SM.853, SM.1138 17. HKCA 1044, ETSI EN 300 296-1, CISPR 16-1 18. HKCA 1045, ETSI EN 300 296-1, CISPR 16-1 19. HKCA 1050, ETSI EN 300 135-2, ETSI EN 300 433-2, 47 CFR 95 Subpart E 20. HKCA 1066, ETSI EN 300 676-2, 47 CFR 87 Subpart D 21. HKCA 1069 ETSI EN 300 224-2 22. HKCA 1218, IMO resolution A.335 23. HKCA 1223, IMO resolutions A.383, A.694 24. HKCA 1224, IMO resolution A.334, ETSI ETS 300 373 25. HKCA 1225, IMO resolution A.421, ETSI ETS 300 373 26. HKCA 1257, IMO resolution A.525, IEC 1097-6, ETSI ETS 300 065 27. HKCA 1258, IMO resolutions A.661, A.662, A.812, IEC 61097-5, ETSI ETS 300 372 29. HKCA 1261, IMO resolutions A.612, A.662, A.805 30. HKCA 1263, IMO resolutions A.609, A.803, IEC 61097-3, IEC 61097-7, ETSI ETS 300 162, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373		13. HKCA 1022		
ETSI EN 300 440-1, ETSI EN 300 422-1, ETSI EN 301 091-1, 47 CFR 15 16. HKCA 1041, ITU-R Rec. SM.853, SM.1138 17. HKCA 1044, ETSI EN 300 296-1, CISPR 16-1 18. HKCA 1045, ETSI EN 300 296-1, CISPR 16-1 19. HKCA 1050, ETSI EN 300 135-2, ETSI EN 300 433-2, 47 CFR 95 Subpart E 20. HKCA 1066, ETSI EN 300 676-2, 47 CFR 87 Subpart D 21. HKCA 1069 ETSI EN 300 224-2 22. HKCA 1218, IMO resolution A.335 23. HKCA 1223, IMO resolution A.334, ETSI ETS 300 373 25. HKCA 1224, IMO resolution A.421, ETSI ETS 300 373 26. HKCA 1257, IMO resolution A.525, IEC 1097-6, ETSI ETS 300 065 27. HKCA 1258, IMO resolution A.700 28. HKCA 1261, IMO resolutions A.661, A.662, A.812, IEC 61097-5, ETSI ETS 300 372 29. HKCA 1263, IMO resolutions A.612, A.662, A.805 30. HKCA 1263, IMO resolutions A.609, A.803, IEC 61097-3, IEC 61097-7, ETSI ETS 300 162, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373		14. HKCA 1026, 47 CFR 15		
091-1, 47 CFR 15 16. HKCA 1041, ITU-R Rec. SM.853, SM.1138 17. HKCA 1044, ETSI EN 300 296-1, CISPR 16-1 18. HKCA 1045, ETSI EN 300 296-1, CISPR 16-1 19. HKCA 1050, ETSI EN 300 135-2, ETSI EN 300 433-2, 47 CFR 95 Subpart E 20. HKCA 1066, ETSI EN 300 676-2, 47 CFR 87 Subpart D 21. HKCA 1069 ETSI EN 300 224-2 22. HKCA 1218, IMO resolution A.335 23. HKCA 1223, IMO resolutions A.383, A.694 24. HKCA 1224, IMO resolution A.334, ETSI ETS 300 373 25. HKCA 1225, IMO resolution A.421, ETSI ETS 300 373 26. HKCA 1257, IMO resolution A.525, IEC 1097-6, ETSI ETS 300 065 27. HKCA 1258, IMO resolution A.700 28. HKCA 1261, IMO resolutions A.661, A.662, A.812, IEC 61097-5, ETSI ETS 300 372 29. HKCA 1262, IMO resolutions A.612, A.662, A.805 30. HKCA 1263, IMO resolutions A.612, A.662, A.805 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373		15. HKCA 1035, ETSI EN 300 220-1, ETSI EN 300 330-1,		
16. HKCA 1041, ITU-R Rec. SM.853, SM.1138 17. HKCA 1044, ETSI EN 300 296-1, CISPR 16-1 18. HKCA 1045, ETSI EN 300 296-1, CISPR 16-1 19. HKCA 1050, ETSI EN 300 135-2, ETSI EN 300 433-2, 47 CFR 95 Subpart E 20. HKCA 1066, ETSI EN 300 676-2, 47 CFR 87 Subpart D 21. HKCA 1069 ETSI EN 300 224-2 22. HKCA 1218, IMO resolution A.335 23. HKCA 1223, IMO resolutions A.383, A.694 24. HKCA 1224, IMO resolution A.334, ETSI ETS 300 373 25. HKCA 1225, IMO resolution A.421, ETSI ETS 300 373 26. HKCA 1257, IMO resolution A.525, IEC 1097-6, ETSI ETS 300 065 27. HKCA 1258, IMO resolutions A.661, A.662, A.812, IEC 61097-5, ETSI ETS 300 372 29. HKCA 1262, IMO resolutions A.612, A.662, A.805 30. HKCA 1263, IMO resolutions A.609, A.803, IEC 61097-3, IEC 61097-7, ETSI ETS 300 162, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373		ETSI EN 300 440-1, ETSI EN 300 422-1, ETSI EN 301		
17. HKCA 1044, ETSI EN 300 296-1, CISPR 16-1 18. HKCA 1045, ETSI EN 300 296-1, CISPR 16-1 19. HKCA 1050, ETSI EN 300 135-2, ETSI EN 300 433-2, 47 CFR 95 Subpart E 20. HKCA 1066, ETSI EN 300 676-2, 47 CFR 87 Subpart D 21. HKCA 1069 ETSI EN 300 224-2 22. HKCA 1218, IMO resolution A.335 23. HKCA 1223, IMO resolutions A.383, A.694 24. HKCA 1224, IMO resolution A.334, ETSI ETS 300 373 25. HKCA 1225, IMO resolution A.421, ETSI ETS 300 373 26. HKCA 1257, IMO resolution A.525, IEC 1097-6, ETSI ETS 300 065 27. HKCA 1258, IMO resolutions A.661, A.662, A.812, IEC 61097-5, ETSI ETS 300 372 29. HKCA 1262, IMO resolutions A.612, A.662, A.805 30. HKCA 1263, IMO resolutions A.609, A.803, IEC 61097-3, IEC 61097-7, ETSI ETS 300 162, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373		091-1, 47 CFR 15		
17. HKCA 1044, ETSI EN 300 296-1, CISPR 16-1 18. HKCA 1045, ETSI EN 300 296-1, CISPR 16-1 19. HKCA 1050, ETSI EN 300 135-2, ETSI EN 300 433-2, 47 CFR 95 Subpart E 20. HKCA 1066, ETSI EN 300 676-2, 47 CFR 87 Subpart D 21. HKCA 1069 ETSI EN 300 224-2 22. HKCA 1218, IMO resolution A.335 23. HKCA 1223, IMO resolutions A.383, A.694 24. HKCA 1224, IMO resolution A.334, ETSI ETS 300 373 25. HKCA 1225, IMO resolution A.421, ETSI ETS 300 373 26. HKCA 1257, IMO resolution A.525, IEC 1097-6, ETSI ETS 300 065 27. HKCA 1258, IMO resolutions A.661, A.662, A.812, IEC 61097-5, ETSI ETS 300 372 29. HKCA 1262, IMO resolutions A.612, A.662, A.805 30. HKCA 1263, IMO resolutions A.609, A.803, IEC 61097-3, IEC 61097-7, ETSI ETS 300 162, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373		16. HKCA 1041, ITU-R Rec. SM.853, SM.1138		
19. HKCA 1050, ETSI EN 300 135-2, ETSI EN 300 433-2, 47				
CFR 95 Subpart E 20. HKCA 1066, ETSI EN 300 676-2, 47 CFR 87 Subpart D 21. HKCA 1069 ETSI EN 300 224-2 22. HKCA 1218, IMO resolution A.335 23. HKCA 1223, IMO resolutions A.383, A.694 24. HKCA 1224, IMO resolution A.334, ETSI ETS 300 373 25. HKCA 1225, IMO resolution A.421, ETSI ETS 300 373 26. HKCA 1257, IMO resolution A.525, IEC 1097-6, ETSI ETS 300 065 27. HKCA 1258, IMO resolution A.700 28. HKCA 1261, IMO resolutions A.661, A.662, A.812, IEC 61097-5, ETSI ETS 300 372 29. HKCA 1262, IMO resolutions A.612, A.662, A.805 30. HKCA 1263, IMO resolutions A.609, A.803, IEC 61097-3, IEC 61097-7, ETSI ETS 300 162, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373		18. HKCA 1045, ETSI EN 300 296-1, CISPR 16-1		
CFR 95 Subpart E 20. HKCA 1066, ETSI EN 300 676-2, 47 CFR 87 Subpart D 21. HKCA 1069 ETSI EN 300 224-2 22. HKCA 1218, IMO resolution A.335 23. HKCA 1223, IMO resolutions A.383, A.694 24. HKCA 1224, IMO resolution A.334, ETSI ETS 300 373 25. HKCA 1225, IMO resolution A.421, ETSI ETS 300 373 26. HKCA 1257, IMO resolution A.525, IEC 1097-6, ETSI ETS 300 065 27. HKCA 1258, IMO resolution A.700 28. HKCA 1261, IMO resolutions A.661, A.662, A.812, IEC 61097-5, ETSI ETS 300 372 29. HKCA 1262, IMO resolutions A.612, A.662, A.805 30. HKCA 1263, IMO resolutions A.609, A.803, IEC 61097-3, IEC 61097-7, ETSI ETS 300 162, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373		19. HKCA 1050, ETSI EN 300 135-2, ETSI EN 300 433-2, 47		
 21. HKCA 1069 ETSI EN 300 224-2 22. HKCA 1218, IMO resolution A.335 23. HKCA 1223, IMO resolutions A.383, A.694 24. HKCA 1224, IMO resolution A.334, ETSI ETS 300 373 25. HKCA 1225, IMO resolution A.421, ETSI ETS 300 373 26. HKCA 1257, IMO resolution A.525, IEC 1097-6, ETSI ETS 300 065 27. HKCA 1258, IMO resolution A.700 28. HKCA 1261, IMO resolutions A.661, A.662, A.812, IEC 61097-5, ETSI ETS 300 372 29. HKCA 1262, IMO resolutions A.612, A.662, A.805 30. HKCA 1263, IMO resolutions A.609, A.803, IEC 61097-3, IEC 61097-7, ETSI ETS 300 162, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373 				
 21. HKCA 1069 ETSI EN 300 224-2 22. HKCA 1218, IMO resolution A.335 23. HKCA 1223, IMO resolutions A.383, A.694 24. HKCA 1224, IMO resolution A.334, ETSI ETS 300 373 25. HKCA 1225, IMO resolution A.421, ETSI ETS 300 373 26. HKCA 1257, IMO resolution A.525, IEC 1097-6, ETSI ETS 300 065 27. HKCA 1258, IMO resolution A.700 28. HKCA 1261, IMO resolutions A.661, A.662, A.812, IEC 61097-5, ETSI ETS 300 372 29. HKCA 1262, IMO resolutions A.612, A.662, A.805 30. HKCA 1263, IMO resolutions A.609, A.803, IEC 61097-3, IEC 61097-7, ETSI ETS 300 162, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373 		20. HKCA 1066, ETSI EN 300 676-2, 47 CFR 87 Subpart D		
23. HKCA 1223, IMO resolutions A.383, A.694 24. HKCA 1224, IMO resolution A.334, ETSI ETS 300 373 25. HKCA 1225, IMO resolution A.421, ETSI ETS 300 373 26. HKCA 1257, IMO resolution A.525, IEC 1097-6, ETSI ETS 300 065 27. HKCA 1258, IMO resolution A.700 28. HKCA 1261, IMO resolutions A.661, A.662, A.812, IEC 61097-5, ETSI ETS 300 372 29. HKCA 1262, IMO resolutions A.612, A.662, A.805 30. HKCA 1263, IMO resolutions A.609, A.803, IEC 61097-3, IEC 61097-7, ETSI ETS 300 162, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373		-		
 24. HKCA 1224, IMO resolution A.334, ETSI ETS 300 373 25. HKCA 1225, IMO resolution A.421, ETSI ETS 300 373 26. HKCA 1257, IMO resolution A.525, IEC 1097-6, ETSI ETS 300 065 27. HKCA 1258, IMO resolution A.700 28. HKCA 1261, IMO resolutions A.661, A.662, A.812, IEC 61097-5, ETSI ETS 300 372 29. HKCA 1262, IMO resolutions A.612, A.662, A.805 30. HKCA 1263, IMO resolutions A.609, A.803, IEC 61097-3, IEC 61097-7, ETSI ETS 300 162, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373 		22. HKCA 1218, IMO resolution A.335		
 25. HKCA 1225, IMO resolution A.421, ETSI ETS 300 373 26. HKCA 1257, IMO resolution A.525, IEC 1097-6, ETSI ETS 300 065 27. HKCA 1258, IMO resolution A.700 28. HKCA 1261, IMO resolutions A.661, A.662, A.812, IEC 61097-5, ETSI ETS 300 372 29. HKCA 1262, IMO resolutions A.612, A.662, A.805 30. HKCA 1263, IMO resolutions A.609, A.803, IEC 61097-3, IEC 61097-7, ETSI ETS 300 162, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373 		23. HKCA 1223, IMO resolutions A.383, A.694		
 26. HKCA 1257, IMO resolution A.525, IEC 1097-6, ETSI ETS 300 065 27. HKCA 1258, IMO resolution A.700 28. HKCA 1261, IMO resolutions A.661, A.662, A.812, IEC 61097-5, ETSI ETS 300 372 29. HKCA 1262, IMO resolutions A.612, A.662, A.805 30. HKCA 1263, IMO resolutions A.609, A.803, IEC 61097-3, IEC 61097-7, ETSI ETS 300 162, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373 		24. HKCA 1224, IMO resolution A.334, ETSI ETS 300 373		
ETS 300 065 27. HKCA 1258, IMO resolution A.700 28. HKCA 1261, IMO resolutions A.661, A.662, A.812, IEC 61097-5, ETSI ETS 300 372 29. HKCA 1262, IMO resolutions A.612, A.662, A.805 30. HKCA 1263, IMO resolutions A.609, A.803, IEC 61097-3, IEC 61097-7, ETSI ETS 300 162, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373		25. HKCA 1225, IMO resolution A.421, ETSI ETS 300 373		
 27. HKCA 1258, IMO resolution A.700 28. HKCA 1261, IMO resolutions A.661, A.662, A.812, IEC 61097-5, ETSI ETS 300 372 29. HKCA 1262, IMO resolutions A.612, A.662, A.805 30. HKCA 1263, IMO resolutions A.609, A.803, IEC 61097-3, IEC 61097-7, ETSI ETS 300 162, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373 		26. HKCA 1257, IMO resolution A.525, IEC 1097-6, ETSI		
 28. HKCA 1261, IMO resolutions A.661, A.662, A.812, IEC 61097-5, ETSI ETS 300 372 29. HKCA 1262, IMO resolutions A.612, A.662, A.805 30. HKCA 1263, IMO resolutions A.609, A.803, IEC 61097-3, IEC 61097-7, ETSI ETS 300 162, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373 		ETS 300 065		
61097-5, ETSI ETS 300 372 29. HKCA 1262, IMO resolutions A.612, A.662, A.805 30. HKCA 1263, IMO resolutions A.609, A.803, IEC 61097-3, IEC 61097-7, ETSI ETS 300 162, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373		27. HKCA 1258, IMO resolution A.700		
61097-5, ETSI ETS 300 372 29. HKCA 1262, IMO resolutions A.612, A.662, A.805 30. HKCA 1263, IMO resolutions A.609, A.803, IEC 61097-3, IEC 61097-7, ETSI ETS 300 162, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373		28. HKCA 1261, IMO resolutions A.661, A.662, A.812, IEC		
29. HKCA 1262, IMO resolutions A.612, A.662, A.805 30. HKCA 1263, IMO resolutions A.609, A.803, IEC 61097-3, IEC 61097-7, ETSI ETS 300 162, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373				
30. HKCA 1263, IMO resolutions A.609, A.803, IEC 61097-3, IEC 61097-7, ETSI ETS 300 162, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373		29. HKCA 1262, IMO resolutions A.612, A.662, A.805		
IEC 61097-7, ETSI ETS 300 162, ETSI ETS 300 338 31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373				
31. HKCA 1264, IMO resolutions A.610, A.804, ETSI ETS 300 338, ETSI ETS 300 373				
338, ETSI ETS 300 373				
32. HKCA 1265, IMO resolutions A.613, A.806, IEC 61097-3,		32. HKCA 1265, IMO resolutions A.613, A.806, IEC 61097-3,		
IEC 61097-9, ETSI ETS 300 067				

	T	, ,	
	33. HKCA 1266, IMO resolution A.811		
	34. HKCA 1277, IMO resolutions A.762, A.809, IEC		
	61097-12, ETSI ETS 300 225		
	35. HKCA 1281, IMO resolution A.802, IEC 1097-1		
	36. HKCA 1283, ETSI EN 301 929-2		
14	Applicant has the knowledge and expertise in evaluating test		
	data, test reports and technical documents to determine		
	compliance with the technical requirements listed in the		
	aforesaid HKCA specifications.		
	aroresula fifte fi specifications.		
A2.]	Radio Equipment using Digital Modulation	Y/N/NA	Remarks
15	Applicant has the latest version of the following HKCA		
13	specifications, and the other standards as referred to in the		
	HKCA specifications -		
	1. HKCA 1020, ETSI EN 300 609-4, ETSI EN 301 502		
	2. HKCA 1033, ETSI EN 301 511		
	3. HKCA 1034, ETSI EN 301 406, ETSI EN 300 175 (all		
	parts), ETSI EN 300 176 (all parts)		
	4. HKCA 1036, ETSI EN 302 217-2-2, ETSI EN 301 126-1,		
	ITU-R Rec. F.749-2 (Annex 1)		
	5. HKCA 1037, ETSI EN 302 217-2-2, ETSI EN 301 126-1,		
	ITU-R Rec. F.637-3 (Annex 3)		
	6. HKCA 1039, ETSI EN 300 328, ETSI EN 301 893, ETSI		
	EN 302 502, 47 CFR 15		
	7. HKCA 1042, 47 CFR 15 subpart E		
	8. HKCA 1043, ETSI EN 301 908-1, ETSI EN 301 908-3,		
	ETSI EN 301 908-11		
	9. HKCA 1047, ETSI EN 300 394-1, ETSI TS 101 789-1,		
	ETSI EN 303 035-1, ETSI EN 303 035-2		
	10. HKCA 1048, ETSI EN 301 908-1, ETSI EN 301 908-2		
	11. HKCA 1049, EN 50364, EN 50357, ANSI/IEEE C95.1,		
	ANSI/IEEE C95.3, ICNIRP guidelines, ETSI EN 302		
	208-2, 47 CFR 15.247		
	12. HKCA 1052, ETSI EN 301 839, ETSI EN 302 537		
	13. HKCA 1056, ETSI EN 301 908-1, ETSI EN 301 908-14,		
	ETSI EN 301 908-15		
	14. HKCA 1057, ETSI EN 301 908-1, ETSI EN 301 908-13		
	15. HKCA 1061, ETSI EN 300 220-1, 47 CFR 15, MIIT's "關		
	, , , , , , , , , , , , , , , , , , , ,		
	於發布《微功率(短距離)無線電設備的技術要求》的通		
	知"		
	16. HKCA 1064, ETSI EN 301 502, ETSI EN 300 609-4, ETSI		
	EN 301 511, EN 50121-3-2		
	17. HKCA 1065, ETSI EN 301 908-1, ETSI EN 301 908-18,		
	3GPP TS 37.141		
	18. HKCA 1067, ETSI EN 301 841-3		
	19. HKCA 1068, ETSI EN 302 217-2-2		
	20. HKCA 1070, ETSI EN 302 217-2-2		
	21. HKCA 1071, ETSI EN 302 217-2-2		
		ı	

	,
	22. HKCA 1072, ETSI EN 301 908-1, ETSI EN 301 908-14
	23. HKCA 1073, ETSI EN 301 908-1, ETSI EN 301 908-13
	24. HKCA 1074, ETSI EN 302 567, ETSI EN 305 550-2, 47
	CFR 15.255
	25. HKCA 1075, ETSI EN 302 264-2, ARIB STD T-111, 47
	CFR Part 95 Subpart M
	26. HKCA 1076, ETSI EN 302 326-2
	27. HKCA 1077, ETSI EN 302 480 V2.1.1 or later version
	28. HKCA 1078, 47 CFR 15.247
	29. HKCA 1080, ETSI EN 302 065, 47 CFR 15 Subpart F
	30. HKCA 1081, ETSI EN 303 687
	31. HKCA 1082, ETSI EN 301 908-1, ETSI EN 301 908-24,
	3GPP TS 38.141-1, 3GPP TS 38.141-2
	32. HKCA 1083, ETSI EN 301 908-1, ETSI EN 301 908-23,
	3GPP TS 37.145-1, 3GPP TS 37.145-2
	33. HKCA 1259, IMO resolutions, A.662, A.763, A.810, IEC
	1097-2, ETSI ETS 300 066
	34. HKCA 1260, IMO resolutions A.698, A.808
	35. HKCA 1282, IMO resolutions A.663, A.664, A.807, IEC
	1097-4, ETSI ETS 300 460
16	Applicant has the knowledge and expertise in evaluating test
	data, test reports and technical documents to determine
	compliance with the technical requirements listed in the
	aforesaid HKCA specifications.

Scope	B Fixed Network Equipment	Y/N/NA	Remarks
	PE connected to PSTN using Direct Exchange Line (DEL)		
a	nd Telex Equipment		
17	Applicant has the latest version of the following HKCA specifications, and the other standards as referred to in the HKCA specifications - 1. HKCA 2005 2. HKCA 2011, ITU-T Rec. E.161, Q.23, TIA-968-A, TIA TSB-31-B, TIA-1096-A 3. HKCA 2012, Telcordia specifications SR-TSV-002476, GR-31, GR-575 4. HKCA 2013, ITU-R Rec. Q.23 5. HKCA 2019, Bellcore technical specifications TR-NWT-001273, SR-INS-002461 6. HKCA 2020 7. HKCA 2022, Telcordia specifications SR-TSV-002476,		
	 GR-31, GR-575, GR-1188 HKCA 2024 HKCA 2041, Telcordia specifications SR-TSV-002476, GR-31, GR-575, ETSI ES 201 912 		
18	Applicant has the knowledge and expertise in evaluating test data, test reports and technical documents to determine compliance with the technical requirements listed in aforesaid HKCA specifications.		
B2. IS	SDN and ATM Equipment	Y/N/NA	Remarks
19	 Applicant has the latest version of the following HKCA specifications, and the other standards as referred to in the HKCA specifications - 1. HKCA 2014, ITU-T Rec. I.430, Q.920, Q.921, Q.930 and Q.931 2. HKCA 2015, ITU-T Rec. I.431, Q.920, Q.921, Q.930 and Q.931 3. HKCA 2016, ITU-T Rec. I.432.1 to 432.5, I.361, I.363, I.371, ANSI T1.646-1995, ATM Forum's User-Network Interface Specification Version 3.1 4. HKCA 2021, ANSI Standard T1.601-1988 5. HKCA 2026, ANSI Standards T1.605, T1.602, T1.607 ITU-T Rec. P.310 6. HKCA 2027, ANSI Standards T1.403.01, T1.602, T1.607 7. HKCA 2034, ITU-T Rec. E.164, E.191, Q.2931, ATM User-Network Interface Specification Version 3.1, ATM User-Network Interface (UNI) Signalling Specification Version 4.0 		

20	Applicant has the knowledge and expertise in evaluating test data, test reports and technical documents to determine compliance with the technical requirements listed in the aforesaid HKCA specifications.		
	Digital Trunk and Leased Circuit Equipment (including Optical Leased Circuit Equipment)	Y/N/NA	Remarks
21	 Applicant has the latest version of the following HKCA specifications, and the other standards as referred to in the HKCA specifications - 1. HKCA 2017, ITU-T Rec. G.121, G.122, G.703, G.704, G.706, G.711, G.822, G.824, O.171, Q.23 2. HKCA 2018, ITU-T Rec. G.121, G.122, G.703, G.704, G.706, G.711, G.822, G.824, O.171, Q.23 3. HKCA 2023, TIA-968-A, TIA TSB-31-B, TIA-1096-A 4. HKCA 2028, ITU-T Rec. G.703, G.824, O.171 5. HKCA 2029, ITU-T Rec. G.703, G.823, O.151 and O.171 6. HKCA 2030, ITU-T Rec. V.11, V.28 and V.35 7. HKCA 2031, ITU-T Rec. V.24 and V.28 8. HKCA 2038, ITU-T G.957, G.652-G.655, IEC 60825-1, IEC 60825-2 (Safety of laser products) 9. HKCA 2039, ITU-T G.652-G.655, GR-253-CORE Synchronous Optical Network (SONET) Transport Systems: Common Generic Criteria, published by Telcordia Technologies Inc., IEC 60825-1, IEC 60825-2 (Safety of laser products) 10. HKCA 2040, ITU-T Rec. X.25, V.24, V.35 		
22	Applicant has the knowledge and expertise in evaluating test data, test reports and technical documents to determine compliance with the technical requirements listed in the aforesaid HKCA specifications.		
B4.	ADSL Modems	Y/N/NA	Remarks
23	Applicant has the latest version of the following HKCA specifications, and the other standards as referred to in the HKCA specifications - 1. HKCA 2032, ITU-T Rec. G.992.1 2. HKCA 2033, ITU-T Rec. G.992.2		
24	Applicant has the knowledge and expertise in evaluating test data, test reports and technical documents to determine compliance with the technical requirements listed in the aforesaid HKCA specifications.		

Scope	C Radiation Safety of Radiocommunications Equipment	Y/N/NA	Remarks
25	Applicant has the latest version of HKCA 1084, and applicable reference standards including ICNIRP guidelines, IEC/IEEE 62209-1528, IEC/IEEE 63195-1, IEC/IEEE 63195-2 (or equivalent).		
26	Applicant has the knowledge and expertise in assessing test data, test reports and technical documents to determine compliance with the requirements in HKCA 1084 and applicable reference standards.		